

CONSTRUCTION & DEMOLITION




Hydroscand offers a complete range of quality hydraulic and industrial hoses, fittings and fluid transfer solutions for the construction and demolition machinery.







HOSE & FITTINGS



A SELECTION OF OUR HOSE RANGE

			
	KAPPAFLEX 2K CO ROCK	ISOBAR 42 CO	EGEFLEX 2 CO
DESCRIPTION	Ozone-resistant hose for application with high pressures and high abrasion. Impulse tested up to one million cycles. Exceeds EN 857 2SC. Approved by DNV-GL, MED and MSHA.	Flexible, heavy duty 6000 PSI hydraulic hose, suitable for very high pressures in combination with very high impulses and a lot of external abrasion. The working pressure is equivalent to or exceeds SAE-100 R15.	A hose for applications with medium to high pressures and a lot of external abrasion. Equivalent to EN 853 2SN. Approved by MSHA (flame resistant). The certificates refer to dimensions 1/8"-1".
INNER TUBE	Synthetic oil-resistant rubber	Synthetic oil resistant rubber	Synthetic oil resistant rubber
COVER	Durable rubber - resistant to abrasion, weather and oil	Synthetic weather and heat resistant rubber	Abrasion, weather and heat resistant synthetic rubber
TEMP. OC	Min: -50 / Max: +100	Min: -40 / Max: +121	Min: -40 / Max: +100
MEDIA	Oil	Oil	Oil
REINFORCEMENT	Two braids of compact steel wire	ID 19-25mm: Four spirals. ID 32-38mm: Six spirals	Two braids of steel wire
SAFETY FACTOR	1:4	1:4	1:4
CODE	1105-63	1142-13	1102-14

			
	DELTAFLUX 4 CT	GAMMAFLUX 5	HIGH TEMP
DESCRIPTION	Flexible hydraulic hose for high pressures in combination with very high pulsations. Equivalent to EN 856 4SP/4SH (1 1/4"-2"). Fire resistant.	The hose is equivalent to EN 856 4SH approved by MSHA (flame resistant).	This hose is suitable for hydraulic pipes, truck engines and transportation of oil and gasoline with extra high temperatures.
INNER TUBE	Synthetic oil resistant rubber	Synthetic oil resistant rubber	Synthetic oil & heat resistant rubber
COVER	Abrasion, heat, weather	Weather and oil resistant rubber	Synthetic abrasion resistant rubber
TEMP. OC	Min -40 / Max +121	Min: -40 / Max: +100	Min: -40 / Max: +150
MEDIA	Oil	Oil	Oil
REINFORCEMENT	Four spirals of steel wire	Four spirals of steel wire	One braid of steel wire
SAFETY FACTOR	1:4	1:4	1:4
CODE	1115-10	1118-12	1071-00

	
	ISOBAR 420 CO ROCK X-HP (XT6)
DESCRIPTION	Flexible spiral hose for the toughest applications. Adapted for working pressure on 420 bar. The hose is suited to applications with demands for high flow and high pressure and is easy to assemble. Exceeds the requirements of SAE 100 R15.
INNER TUBE	Synthetic oil resistant rubber
COVER	Abrasion, oil, weather
TEMP. OC	Min -40 / Max +121
MEDIA	Oil
REINFORCEMENT	Four spirals of steel wire
SAFETY FACTOR	1:4
CODE	1020-86

Contact your local **HYDROSCAND** branch, or any of our authorised distributors, for more information.

OUR ACCESSORIES

WE STOCK A WIDE RANGE OF ACCESSORIES FOR CONSTRUCTION AND DEMOLITION MACHINERY. If you don't see what you need, just ask for more information.



QUICK RELEASE COUPLINGS



HYDRAULIC / ENGINE OILS



SERVICE PLUGS



SPILL KITS

Machinery and accessories for cutting, crimping, and skiving.



ADDED PROTECTION AND RELIABILITY

FOR ADDED RELIABILITY AND PERFORMANCE... try the Hydroscand Staloc range of adhesives, anti-corrosives, sealants, thread lockers, lubricants, cleaners, anti-seize products and more - all designed to be robust when used in harsh environments.



Visit us at one of our branches

All of our branches are staffed by an experienced, knowledgeable and dedicated team of technicians who are there to give you advice and make sure you don't leave without a solution.

Birmingham

10 Manchester Street
Springfield Ind. Est.
Oldbury, West Midlands
B69 4HH
0121 552 4286

Bodmin

7a Carminow Rd. Ind. Est.
Bodmin,
Cornwall
PL31 1EP
01208 78244

Cardiff

Unit 4, Riverside Ind. Park
Bridge Road, Treforest
Pontypridd
Mid Glamorgan
CF37 5TG
01443 841 661

Gloucester

Goodridge Ave. Ind. Est.
Gloucester
GL2 5EA
01452 500 073

Nottingham

119-121 Town Street
Sandiacre
Nottingham
NG10 5DS
0115 978 8800

Plymouth

1 East Way
Lee Mill Ind. Est.
Plymouth
PL21 9GE
01752 892 045

Redruth

10 Druids Way
Pool Ind. Est.
Redruth, Cornwall
TR15 3RH
01209 212 966

Southampton

5 Southampton Trade Park
Third Avenue
Southampton
SO15 0AD
023 8078 4446

Widnes

23-27 Violet Street
Widnes
WA8 7SB
0151 424 0880

www.hydroscand.co.uk



**DEDICATED
TO THE FLOW**

119-121 Town Street
Sandiacre
Nottingham
NG10 5DS

0115 978 9759
info@hydroscand.co.uk
www.hydroscand.co.uk

